

Multisport scoreboard (console 8485 not included)



Overview

Multisport scoreboard, FIBA approved, level 3.

Viewing distance: 110m for 25cm high digits, 90cm for 20cm high digits.

Viewing angle: 150°.

Display of: team scores, game time, timeouts, team fouls, period, ball possession.

Resistant to damage from balls as per DIN 18032-3

Wireless or wired communication.

Display of the time of the day.

Horn.

Suitable for indoor application.

Wall mounting. Supplied with brackets.

Dimensions and weight: 140x83x9cm, 22kg.

To be used together with specific control console.

Specifications

Multisport scoreboard, suitable for medium-size gymnasiums and sports halls.

FIBA approved, level 3

Viewing distance: 110m for 25cm high digits, 90cm for 20cm high digits.

Viewing angle: 150°.

Displayed functions:

Game time [00:00 - 99:59]: digits 25cm high.

Team scores [0 - 199]: digits 25cm high.

Period [0 - 9, E]: digit 20cm high.

Team fouls / Sets won [0 - 9]: digits 20cm high.

Timeouts [3 light indicators per team]: diameter 2.5cm.

Ball possession / Service / Turn [1 light indicator per team]: diameter 2.5cm.

Compliant with DIN 18032-3 standard on "Resistance to damage from balls"

No front protection cover is required. You save on the cost of a protective cover, full visibility is guaranteed, and access to the scoreboard is easy.

To be used together with **Console-300** and **Console-700**, the latter for wireless communication.

Reliable wireless communication: by 2.4GHz FHSS (Frequency Hopping Spread Spectrum) radio transmission to avoid interferences. The use of a wireless system reduces costs by eliminating the need of a cable connection between console and scoreboards.

Suitable for **indoor application**.

Shipping is cheap and fast. The scoreboard is especially designed to be taken apart into smaller modules that are easy to assemble. This allows it to be shipped via all major couriers at a low cost and with faster delivery times to all countries.

Easy to install. Installation instructions in 5 languages. Supplied with brackets for wall mounting.

Game timer. Using the Control Console (see ACCESSORIES) you can choose different operation modes depending on the sport selected: game and interval time, count back or forward, display last minute tenths of a second, display time of day, etc..

Clock function to display time of the day, also with unplugged console.

The horn can be sounded manually or automatically when the time expires, producing a strong acoustic signal [120dB(A) at 1m] with adjustable duration and intensity.

Robust container made from powder-coated aluminum. Front panel made from anti-glare polycarbonate.

All the internal parts can be accessed from the front for easy maintenance.

Large angle, high quality SMT LED digits, with a typical life of 100,000 hours.

Power supply: 100-240VAC, 50/60Hz, 160VA. Supplied with power supply cable and plug (plug type can be chosen when ordering).

Guarantee: 2 years

Dimensions and weight: 140x83x9cm, 22kg.

Product options, selectable after adding the article to the basket:

Type of plug.

Adhesive labels: HOME-GUEST, LOCALI-OSPITI, LOCALES-VISITANTES, LOCAUX-VISITEURS, HEIM-GÄSTE.

Console connection cable, if wireless communication is not used.

Anti-moisture coating of the electronic boards, recommended for swimming-pool and ice-rink installations.

Console ART-8485 Excluded

